

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	81	wireless with phone with security and (@ad<"20010629" or @rlad<"20010629" or @prad<"20010629")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:17
L2	6	(wireless with phone with security). ab. and (@ad<"20010629" or @rlad<"20010629" or @prad<"20010629")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:17
L4	0	(wireless with phone with security) and secure adj path and (@ad<"20010629" or @rlad<"20010629" or @prad<"20010629")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:18
L5	0	(wireless with phone with security) and wap.ti. and (@ad<"20010629" or @rlad<"20010629" or @prad<"20010629")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:18
L6	19	phone and wap.ti. and (@ad<"20010629" or @rlad<"20010629" or @prad<"20010629")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:18
L7	148	secure adj path and (@ad<"20010629" or @rlad<"20010629" or @prad<"20010629")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:18
L8	4	secure adj path same (personal adj computer pc) and (@ad<"20010629" or @rlad<"20010629" or @prad<"20010629")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:18
L9	1	secure adj path same (personal adj computer pc) and (cell pda phone) and (@ad<"20010629" or @rlad<"20010629" or @prad<"20010629")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:18
L10	31	encrypt\$3 with (personal adj computer pc) with (cell pda phone) and (@ad<"20010629" or @rlad<"20010629" or @prad<"20010629")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:18
L11	4	(secure adj path).ab. and (@ad<"20010629" or @rlad<"20010629" or @prad<"20010629")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:19
L12	132	key with comput\$3 near2 power and encrypt\$3 and (generat\$3 creat\$3 deriv\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:19

L13	70	key with computing adj power and encrypt\$3 and (generat\$3 creat\$3 deriv\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:19
L14	3	seed and key with computing adj power and encrypt\$3 and (generat\$3 creat\$3 deriv\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:19
L15	46	(chowdry).in.	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:19
L16	55	key with computing adj power and encrypt\$3 and (generat\$3 creat\$3 deriv\$3) and (@ad<"20010629" or @rlad<"20010629" or @prad<"20010629")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:19
L17	10	encrypt\$3 and key with computing adj power with (generat\$3 creat\$3 deriv\$3) and (@ad<"20010629" or @rlad<"20010629" or @prad<"20010629")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:19
S11	437324	public adj key\$1 with derv\$3 with symmetric key\$1	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/03 21:57
S12	56	public adj key\$1 with (deriv\$3 creat\$3) with symmetric adj key\$1	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/03 22:00
S13	18	public adj key\$1 with (deriv\$3 creat\$3) with symmetric adj key\$1 and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 15:45
S14	1	public adj key\$1 same seed with exchange and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/04 15:27
S15	10	public adj key\$1 and seed with exchange and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 16:47
S16	20	encrypt\$3 and seed with exchange and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/04 15:53
S17	530	("same" identical corresponding) and symmetric adj key and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/04 15:36

S18	505	("same" identical corresponding) and symmetric adj key and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and public	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 13:06
S19	208	("same" identical corresponding) same symmetric adj key and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and public	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 13:04
S20	196	("same" identical corresponding) same symmetric adj key and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and public	USPAT	OR	OFF	2004/11/04 15:38
S21	1	("same" identical corresponding) same symmetric same (seed pseudo adj1 random or random) adj key and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and public	USPAT	OR	OFF	2004/11/04 15:39
S22	53	("same" identical corresponding) same symmetric adj key same(seed pseudo adj1 random or random)and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and public	USPAT	OR	OFF	2004/11/09 17:13
S23	1139	encrypt\$3 and seed and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") not S16	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 14:13
S24	140	encrypt\$3 and seed with (sent send\$3) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") not S16	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/04 17:10
S25	140	encrypt\$3 and seed with (recv\$3 sent send\$3) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") not S16	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/04 15:54
S26	69	encrypt\$3 and seed near3 (recv\$3 sent send\$3) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") not S16	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/04 15:54
S27	66	encrypt\$3 and seed near3 (recv\$3 sent send\$3) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") not S16	USPAT	OR	OFF	2004/11/14 12:17

S28	20	encrypt\$3 and seed with exchange and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/04 17:10
S29	3	encrypt\$3 and seed with distribution and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") not S28 not "12"	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/04 17:18
S30	0	713/171.ccls. and 380/262.ccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") not S28 not "12"	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/04 19:18
S31	7	713/171.ccls. and 380/262.ccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/04 18:12
S32	169	380/262.ccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/04 18:19
S33	29	380/262.ccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and (public adj key)	USPAT	OR	OFF	2004/11/04 18:48
S37	191	713/170.ccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/04 19:20
S38	188	713/170.ccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/04 20:41
S39	72	713/170.ccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and (key with send\$1)	USPAT	OR	OFF	2004/11/04 20:35
S40	0	"5748734".pn. and PDA	USPAT	OR	OFF	2004/11/04 19:48
S41	8	713/170.ccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and (sends adj3 public adj key)	USPAT	OR	OFF	2004/11/04 20:38
S42	297	(receive\$1 adj3 public adj key) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/04 20:41

S43	237	(receive\$1 adj2 public adj key) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/04 20:41
S44	20	(sends with (receive\$1 adj2 public adj key)) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/04 20:42
S45	4763134	(encryption with algorithms) (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 08:42
S46	1697	(encryption with algorithms)and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 08:42
S47	313	(public with encryption with algorithms)and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 08:42
S48	5	(specif\$3 with public with encryption with algorithms)and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 08:44
S49	102	(public with encryption same ((choos\$3 select\$3 specif\$3) with algorithm))and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 08:45
S50	57	(public with encryption same ((choos\$3 select\$3 specif\$3) with algorithm))and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and verification	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 08:45
S51	2	(public with encryption same ((choos\$3 select\$3 specif\$3) with algorithm))and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and verification. ti.	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 08:46
S52	57	(public with encryption same ((choos\$3 select\$3 specif\$3) with algorithm))and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and verification	US-PGPUB; USPAT	OR	OFF	2004/11/09 08:47
S53	54	(public with encryption same ((choos\$3 select\$3 specif\$3) with algorithm))and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and verification not S51	USPAT	OR	OFF	2004/11/09 08:48

S54	42	(verification with algorithm).ab. and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/09 10:21
S58	257	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (public adj key same encrypt\$3 with session adj key)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 10:27
S59	247	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (public adj key same encrypt\$3 with session adj key)	USPAT	OR	OFF	2004/11/09 10:27
S60	163	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ((send\$ use\$3) with public adj key same encrypt\$3 with session adj key)	USPAT	OR	OFF	2004/11/09 10:32
S61	0	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ((send\$ use\$3) with public adj key same encrypt\$3 with session adj key) and ("it's public key")	USPAT	OR	OFF	2004/11/09 10:33
S62	0	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("it's public key")	USPAT	OR	OFF	2004/11/09 10:33
S63	412	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("own" with "public key")	USPAT	OR	OFF	2004/11/09 10:33
S64	86	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (send\$3 with "own" with "public key")	USPAT	OR	OFF	2004/11/09 10:34
S65	40	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (send\$3 with "own" with "public key" with "private key")	USPAT	OR	OFF	2004/11/12 21:54
S66	3	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (send\$3 with "own" with "public key" adj3 "private key")	USPAT	OR	OFF	2004/11/09 10:41
S67	0	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("public key with" adj3 "private key")	USPAT	OR	OFF	2004/11/09 10:42

S68	1063	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("public key" adj3 "private key")	USPAT	OR	OFF	2004/11/09 10:42
S69	32	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("public key" adj3 "using private key")	USPAT	OR	OFF	2004/11/09 10:42
S70	85	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("public key" adj3 "using" adj3 "private key")	USPAT	OR	OFF	2004/11/09 11:20
S71	78	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (session adj key with distribution)	USPAT	OR	OFF	2004/11/09 12:13
S72	156	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (session adj key with exchange)	USPAT	OR	OFF	2004/11/09 11:24
S73	72	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (session adj key with exchange) and (exchange with public adj key\$1)	USPAT	OR	OFF	2004/11/09 13:32
S74	0	ad-hock and radio and key\$1	USPAT	OR	OFF	2004/11/09 11:50
S75	158	ad-hoc and radio and key\$1	USPAT	OR	OFF	2004/11/09 11:50
S76	539	ad-hoc and radio and key\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 11:50
S77	84	ad-hoc same radio and key\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/09 11:50
S78	84	ad-hoc same radio and key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/11/09 11:51
S79	50	ad-hoc same radio and key\$1 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/11/09 11:59
S80	35	ad-hoc with radio with communication	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/11/09 12:07
S81	127	ad-hoc same radio same communication	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/11/09 12:08

S82	24	ad-hoc same radio same communication and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/11/09 12:21
S83	1	ad-hoc same radio same communication and encrypt\$3	USPAT; EPO; JPO	OR	OFF	2004/11/09 12:10
S84	341	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (bluetooth)	USPAT	OR	OFF	2004/11/09 12:14
S85	1	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (bluetooth) and secure adj session	USPAT	OR	OFF	2004/11/09 12:15
S86	10	("5621798" "5835595" "5929777" "5995624" "6009173" "6016476" "6058106" "6331972" "6480957" "6516316").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/11/09 14:41
S87	512	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (display adj device\$1 same audible)	USPAT	OR	OFF	2004/11/09 13:33
S88	232	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (display adj device\$1 with audible)	USPAT	OR	OFF	2004/11/09 14:41
S89	32	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (display adj device\$1 with audible) and wireless	USPAT	OR	OFF	2004/11/09 13:34
S90	5	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (display adj device\$1 with audible) and wireless and verif\$5	USPAT	OR	OFF	2004/11/09 13:35
S91	0	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (wireless with "secure session") and key adj distribut\$3	USPAT	OR	OFF	2004/11/09 15:13
S92	1	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and (wireless with "secure session")	USPAT	OR	OFF	2004/11/09 14:42
S93	1359	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and key adj (distribut\$3 exchange)	USPAT	OR	OFF	2004/11/09 15:13
S94	0	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and key adj (distribut\$3 adj exchange)	USPAT	OR	OFF	2004/11/09 15:13

S95	303	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and key adj (distribut\$3 exchange) and wireless	USPAT	OR	OFF	2004/11/09 15:13
S96	33	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and key adj (distribut\$3 exchange) same wireless	USPAT	OR	OFF	2004/11/09 15:14
S97	0	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and key adj (distribut\$3 exchange) same wireless and key near2 sesion	USPAT	OR	OFF	2004/11/09 15:15
S98	0	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and key adj (distribut\$3 exchange) same wireless and sesion	USPAT	OR	OFF	2004/11/09 15:15
S99	27	(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and key adj (distribut\$3 exchange) same wireless and session	USPAT	OR	OFF	2004/11/09 15:15
S10 0	446	((wireless portable walky adj1 talky mobile) and session adj key) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 15:47
S10 2	226	((wireless portable walky adj1 talky mobile) same session adj key) \	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 15:48
S10 3	226	((wireless portable walky adj1 talky mobile) same session adj key)	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 16:48
S10 4	204	((wireless portable walky adj1 talky mobile) same session adj key) and authenticat\$3	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/09 16:51
S10 6	242	((wireless portable walky adj1 talky mobile) same public adj key) and authenticat\$3	USPAT	OR	OFF	2004/11/09 17:08
S10 7	131254	"380"/("247" "249" "250" "262" "270").ccls. and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/09 17:14
S10 8	19	380/272.ccls. and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/09 17:16

S10 9	9	380/272.ccls. and authenticat\$3 and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 08:17
S11 0	13	380/271.ccls. and authenticat\$3 and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 08:24
S11 1	0	380/247,249,250,262,270,271,272. ccls. and 380/277,278,279,ccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 08:25
S11 2	356580	"380"/("247" "249" "250" "262" "270" "271" "272").ccls. and "380"/("277" "278" "279")"ccls." and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 08:26
S11 3	356580	"380"/("247" "249" "250" "262" "270" "271").ccls. and "380"/("277" "278" "279")"ccls." and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 08:28
S11 4	274231	key and "380"/("247" "249" "250" "262" "270" "271").ccls. and "380"/("277" "278" "279")"ccls." and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 08:28
S11 5	255392	encrypt and public adj key and "380"/("247" "249" "250" "262" "270" "271").ccls. and "380"/("277" "278" "279")"ccls." and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 08:29
S11 6	356580	"380"/("277" "278" "279")"ccls." and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 08:33
S11 7	254630	(cell cell adj phone mobile pda portable bluetooth "802.11") and encrypt and public adj key and "380"/("247" "249" "250" "262" "270" "271").ccls. and "380"/("277" "278" "279")"ccls." and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 08:30

S12 1	258236	(authentication\$3 switch (cell cell adj phone mobile pda portable bluetooth "802.11") with encrypt same public adj key) and "380"/("247" "249" "250" "262" "270" "271").cccls. and "380"/("277" "278" "279").cccls." and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 08:32
S13 5	41	(mobile random PALM mobile) same random same (key adj exchange)same (public adj key) and "380"/("277" "278" "279").cccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 10:27
S13 6	131254	"380"/("277" "278" "279").cccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 10:28
S13 7	484	(public adj key).ab. and "380"/("277" "278" "279").cccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 10:31
S13 8	54	wireless and (public adj key).ab. and "380"/("277" "278" "279").cccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 10:31
S13 9	153	(wireless mobile PALM portable) and (public adj key).ab. and "380"/("277" "278" "279").cccls. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 10:37
S14 1	151	((public adj key)same seed)	USPAT	OR	OFF	2004/11/10 11:01
S14 2	66	((public adj key)with seed)	USPAT	OR	OFF	2004/11/10 11:01
S14 3	57	((public adj key)with seed) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 11:09
S14 5	57	((public adj key)with seed) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/10 12:47

S14 6	6	WTLS and key adj exchange and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and public	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 13:04
S14 7	240	(session adj key) and (wireless mobile PDA pager beeper walky adj1 talky "802.11" bluetooth) and public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 14:14
S14 8	0	((session exchange) adj key) and (walky adj1 talky) and encrypt and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 13:09
S14 9	210	encrypt and (session adj key) and (wireless mobile PDA pager beeper walky adj1 talky "802.11" bluetooth) and public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 13:10
S15 0	16	(wireless mobile PDA pager beeper walky adj1 talky "802.11" bluetooth) same (session adj key) same public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 15:33
S15 1	4	((("between" among) adj3 (wireless mobile PDA pager\$1 beeper\$1 walky adj1 talky "802.11" bluetooth) same (session adj key) same public adj key) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 14:35
S15 2	0	(secure same ((wireless mobile) adj devices) same (session adj key) same public adj key) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 14:10
S15 3	0	((((wireless mobile) adj devices) same (session adj key) same public adj key) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 14:10

S15 4	179	(session adj key) and (wireless mobile PDA pager beeper walky adj1 talky "802.11" bluetooth) and public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and "380"/("277" "278" "279").cccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 14:16
S15 6	9	smart adj card\$1 with key adj exchange	USPAT	OR	OFF	2004/11/10 14:15
S15 7	25	(session adj key) same (wireless mobile PDA pager beeper walky adj1 talky "802.11" bluetooth) and public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and "380"/("277" "278" "279").cccls.	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 14:34
S15 8	664	sign\$3 adj2 public adj key	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 14:35
S15 9	401	sign\$3 adj public adj key	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 14:35
S16 0	189	sign\$3 adj public adj key	USPAT	OR	OFF	2004/11/10 14:35
S16 1	185	sign\$3 adj public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 14:36
S16 2	35	(private secret) adj key with (public adj key adj signed (signs sign) adj public adj key) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 14:37
S16 3	231	(wireless mobile PDA pager beeper walky adj1 talky "802.11" bluetooth) same (authenticat\$3) and public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 15:34
S16 4	152	(wireless mobile PDA pager beeper walky adj1 talky "802.11" bluetooth) with (authenticat\$3) and public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 19:17

S16 5	27	((wireless mobile PDA pager beeper walky adj1 talky "802.11" bluetooth) with (authentica\$3)).ab. and public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620"))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 16:08
S16 6	27	((wireless mobile PDA pager beeper walky adj1 talky "802.11" bluetooth) with (authentica\$3)).ab. and public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620"))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 16:10
S16 7	6	certificate and ((wireless mobile PDA pager beeper walky adj1 talky "802.11" bluetooth) with (authentica\$3)).ab. and public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620"))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 16:15
S16 8	21	S166 not S167	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 16:47
S16 9	371	bluetooth and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620"))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 16:47
S17 0	36	bluetooth.ab. and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620"))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/10 16:58
S17 1	6	(authentica\$3 encrypt\$3) and bluetooth.ab. and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620"))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 20:15
S17 3	20	wireless adj data adj communication adj system	EPO	OR	OFF	2004/11/12 19:08
S17 4	499	(key adj generation) and public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620"))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 19:17
S17 5	2	ad-hoc and (key adj generation) and public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620"))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 22:58
S17 9	166	(link adj key)and(@ad<"2000620" or @rlad<"2000620" or @prad<"2000620"))	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 20:15

S18 0	156	(link adj key)and(@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/12 20:16
S18 1	6	authentication same (link adj key)and(@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/12 20:19
S18 2	0	wireless same encrypt same (link adj key)and(@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/12 20:19
S18 3	1	wireless same encrypt\$3 same (link adj key)and(@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/12 20:20
S18 4	33	wireless and (link adj key)and(@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/12 20:20
S18 5	15	wireless and encrypt\$3 and (link adj key)and(@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/12 21:51
S18 6	0	"9574873".pn.	USPAT	OR	OFF	2004/11/12 21:52
S18 7	1	"6574873".pn.	USPAT	OR	OFF	2004/11/12 21:52
S18 8	1	"5748734".pn.	USPAT	OR	OFF	2004/11/12 21:52
S18 9	71	(wireless same authentication and key adj generat\$3) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/12 22:47
S19 0	1	"6766160".pn. and (encrypt key)	USPAT	OR	OFF	2004/11/12 22:51
S19 1	5	("6058106" "6016476" "6009173" "5995624" "5929777").pn.	USPAT	OR	OFF	2004/11/12 22:52
S19 4	86	wireless and send\$3 adj2 public adj key and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/15 11:17
S19 5	86	wireless and sign\$3 adj2 public adj key and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 23:00

S19 6	0	wireless and sign\$3 adj2 public adj key and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and main adj public	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 23:00
S19 7	61	S195 not S194	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/12 23:00
S19 8	20	encrypt\$3 and seed with exchange and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/11/14 12:17
S19 9	3054193	(symmetric adj key with exchange same channel) (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") not S198	USPAT	OR	OFF	2004/11/14 12:17
S20 0	3054193	(symmetric adj key with exchange with channel) (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") not S198	USPAT	OR	OFF	2004/11/14 12:17
S20 1	8	(symmetric adj key with exchange with channel) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") not S198	USPAT	OR	OFF	2004/11/14 12:24
S20 2	0	(symmetric adj key with exchange with portable) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") not S198	USPAT	OR	OFF	2004/11/14 13:25
S20 3	2837	(verification same (audi\$3 visual)) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/14 13:25
S20 4	1737	(verification with (audi\$3 visual)) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/14 13:25
S20 5	91	(verification with (audi\$3 with visual)) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/12/11 23:20
S20 6	0	(verification with (audi\$3 with visual)) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("380" "709" "713")/\$.ccls.	USPAT	OR	OFF	2004/11/14 13:27
S20 7	2	(verification with (audi\$3 with visual)) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and 380\$.ccls.	USPAT	OR	OFF	2004/11/14 13:27

S20 8	2	(verification with (audi\$3 with visual)) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and "380"/\$.ccls.	USPAT	OR	OFF	2004/11/14 13:27
S20 9	5	(verification with (audi\$3 with visual)) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") and ("380"/\$.ccls. "709"/\$.ccls. "713"/\$.ccls.)	USPAT	OR	OFF	2004/11/14 14:23
S21 0	45	(one adj1 way adj function).ab. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/14 14:27
S21 1	79	(one adj1 way adj function with (advantag\$3))(one adj1 way adj function).ab. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/14 14:28
S21 2	4	(one adj1 way adj function with (advantag\$3)) and (one adj1 way adj function).ab. and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/14 14:48
S21 3	0	(ad-hoc same verification same public adj key) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/14 14:48
S21 4	1	(ad adj1 hoc same verification same public adj key) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/14 14:49
S21 5	0	(cell adj phone same verification same public adj key) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/14 14:49
S21 6	0	(cell adj phone same verif\$5 same public adj key) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/14 14:49
S21 7	0	(cell adj phone same public adj key) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/14 14:50

S21 8	80	(mobile same public adj key) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/14 14:50
S21 9	80	(mobile same public adj key) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/11/14 14:50
S22 0	922	ad adj1 hoc and verif\$5 and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/11 21:40
S22 1	1018	ad adj1 hoc and (verif\$5 authentica\$) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/11 21:46
S22 2	79	ad adj1 hoc same (verif\$5 authentica\$) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/11 21:46
S22 3	374	(ad adj1 hoc bluetooth GPS) same (verif\$5 authentica\$) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/11 21:47
S22 4	57	(ad adj1 hoc bluetooth GPS) same (verif\$5 authentica\$) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("380"/\$. ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/11 21:49
S22 5	27	(ad adj1 hoc bluetooth) same (verif\$5 authentica\$) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("380"/\$. ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/11 22:54
S22 7	45	((verification adj data verification) with (visual or auditory)) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("380"/\$. ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/11 22:56
S22 8	41	((verification adj data authentication) with (visual or auditory)) and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("380"/\$. ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/11 22:56

S23 1	4	((verification adj data authentication) with (visual or auditory)).ab. and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("380"/\$.ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/11 23:00
S23 4	1	(voice and fingerprint with authentication).ab. and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/11 23:01
S23 5	96	(voice and fingerprint with authentication)and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/11 23:18
S23 6	34	(voice with fingerprint with authentication)and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/11 23:18
S23 7	558	((authenticat\$3 verif\$7) with (hear\$ displa\$4 see\$3 audi\$3 visual)).ab. and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/12/11 23:21
S23 8	83	((authenticat\$3 verif\$7) with (hear\$ displa\$4 see\$3 audi\$3 visual)).ab. and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("380"/\$.ccls. "713"/\$.ccls.)	USPAT	OR	OFF	2004/12/14 11:37
S23 9	33	((authenticat\$3 verif\$7) with (hear\$ displa\$4 see\$3 audi\$3 visual)).ab. and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") and ("345"/\$.ccls.)	USPAT	OR	OFF	2004/12/11 23:24
S24 1	668	380/277,278,283,284.ccls. and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620")	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/14 11:05
S24 2	330	380/277,278,283,284.ccls. and (@ad<"2000620" or @rlad<"2000620" or @prad<"2000620") not public adj key	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/14 11:19
S24 3	11	380/277,278,283,284.ccls. and "5093860"	US-PGPUB; USPAT; EPO	OR	OFF	2004/12/14 11:19

S24 4	56	(mainframe same encryption) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/12/14 11:37
S24 5	51	(mainframe same encryption and key) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620")	USPAT	OR	OFF	2004/12/14 11:38
S24 6	31	(mainframe same encryption and key) and (@ad<"20000620" or @rlad<"2000620" or @prad<"2000620") not public adj key	USPAT	OR	OFF	2004/12/14 11:44
S24 7	343	rekey\$3	USPAT	OR	OFF	2004/12/14 11:45
S24 8	67	rekey\$3 not public adj key and ("380"/\$.ccls. "713"/\$.ccls. "709"/\$.ccls.)	USPAT	OR	OFF	2004/12/14 12:43

Set Items Description
S1 3289 BLUETOOTH AND (SECURITY OR SECURE)
S2 970 S1 AND IC=H04L?
S3 211 S2 AND IC=H04L-009?
S4 86 S3 AND IC=H04L-009/00
File 347:JAPIO Nov 1976-2004/Jul(Updated 041102)
(c) 2004 JPO & JAPIO
File 348:EUROPEAN PATENTS 1978-2004/Oct W05
(c) 2004 European Patent Office
File 349:PCT FULLTEXT 1979-2002/UB=20041111,UT=20041104
(c) 2004 WIPO/Univentio
File 350:Derwent WPIX 1963-2004/UD,UM &UP=200472
(c) 2004 Thomson Derwent

Set	Items	Description
S1	52514	BLUETOOTH OR AD()HOC()NETWORK OR PEER()PEER()WIRELESS()NET- WORK OR PICONET? OR (WIRELESS OR WIRE()LESS)() (LAN OR LOCAL()- AREA()NETWORK) OR WPAN OR WPANS OR WLAN OR UWB OR 802()15 OR - IRDA
S2	3311443	SECURITY OR PROTECT? OR SAFEGUARD? OR SHIELD? OR ASSURANCE? OR SAFETY OR SAFENESS
S3	11696692	AUTHENTICAT? OR CERTIF? OR VERIF? OR DETERMIN? OR RECOGNI? OR JUDGE? OR VALIDAT? OR IDENTIF?
S4	2310831	ENCRYPT? OR ENCRYPTION() (KEY OR KEYS) OR ENCODE? OR CIPHER? OR CYPHER? OR (PUBLIC OR PRIVATE)() (KEY OR KEYS) OR ENCYIPHER OR CODE? ? OR CODING? OR ENCIPHER? OR SECUR? OR PKI
S5	4349	S1 (S) S2
S6	1147	S5 (S) S3 (S) S4
S7	1786	S1 (5N) S2
S8	428	S7 (S) S3 (S) S4
S9	35	S8 NOT PY>2000
S10	23	S9 NOT PD>20000620
S11	14	RD (unique items)
File	2:INSPEC	1969-2004/Oct W5 (c) 2004 Institution of Electrical Engineers
File	6:NTIS	1964-2004/Nov W1 (c) 2004 NTIS, Intl Cpyrght All Rights Res
File	8:Ei Compendex(R)	1970-2004/Oct W5 (c) 2004 Elsevier Eng. Info. Inc.
File	34:SciSearch(R)	Cited Ref Sci 1990-2004/Nov W1 (c) 2004 Inst for Sci Info
File	35:Dissertation Abs Online	1861-2004/Oct (c) 2004 ProQuest Info&Learning
File	65:Inside Conferences	1993-2004/Nov W1 (c) 2004 BLDSC all rts. reserv.
File	92:IHS Intl.Stds.& Specs.	1999/Nov (c) 1999 Information Handling Services
File	94:JICST-EPlus	1985-2004/Oct W2 (c)2004 Japan Science and Tech Corp(JST)
File	95:TEME-Technology & Management	1989-2004/Jun W1 (c) 2004 FIZ TECHNIK
File	99:Wilson Appl. Sci & Tech Abs	1983-2004/Sep (c) 2004 The HW Wilson Co.
File	103:Energy SciTec	1974-2004/Oct B2 (c) 2004 Contains copyrighted material
File	144:Pascal	1973-2004/Oct W5 (c) 2004 INIST/CNRS
File	202:Info. Sci. & Tech. Abs.	1966-2004/Nov 02 (c) 2004 EBSCO Publishing
File	233:Internet & Personal Comp. Abs.	1981-2003/Sep (c) 2003 EBSCO Pub.
File	239:Mathsci	1940-2004/Dec (c) 2004 American Mathematical Society
File	275:Gale Group Computer DB(TM)	1983-2004/Nov 12 (c) 2004 The Gale Group
File	434:SciSearch(R)	Cited Ref Sci 1974-1989/Dec (c) 1998 Inst for Sci Info
File	647:CMP Computer Fulltext	1988-2004/Oct W5 (c) 2004 CMP Media, LLC
File	674:Computer News Fulltext	1989-2004/Sep W1 (c) 2004 IDG Communications
File	696:DIALOG Telecom. Newsletters	1995-2004/Nov 12 (c) 2004 The Dialog Corp.

Set	Items	Description
S1	13238	BLUETOOTH OR AD()HOC()NETWORK OR PEER()PEER()WIRELESS()NETWORK OR PICONET? OR (WIRELESS OR WIRE()LESS)() (LAN OR LOCAL() - AREA()NETWORK) OR WPAN OR WPANS OR WLAN OR UWB OR 802()15 OR - IRDA
S2	601956	SECURITY OR PROTECT? OR SAFEGUARD? OR SHIELD? OR ASSURANCE? OR SAFETY OR SAFENESS
S3	1054039	AUTHENTICAT? OR CERTIF? OR VERIF? OR DETERMIN? OR RECOGNI? OR JUDGE? OR VALIDAT? OR IDENTIF?
S4	643837	ENCRYPT? OR ENCRYPTION() (KEY OR KEYS) OR ENCODE? OR CIPHER? OR CYPHER? OR (PUBLIC OR PRIVATE)() (KEY OR KEYS) OR ENCRYPT? OR CODE? ? OR CODING? OR ENCIPHER? OR SECUR? OR PKI
S5	1189	S1 (S) S2
S6	485	S5 (S) S3 (S) S4
S7	241	S6 AND IC=H04L?
S8	50	S7 AND IC=H04L-009?

File 348:EUROPEAN PATENTS 1978-2004/Oct W05.

(c) 2004 European Patent Office

File 349:PCT FULLTEXT 1979-2002/UB=20041111,UT=20041104

(c) 2004 WIPO/Univentio

Set	Items	Description
S1	9348	BLUETOOTH OR AD()HOC()NETWORK OR PEER()PEER()WIRELESS()NET- WORK OR PICONET? OR (WIRELESS OR WIRE()LESS)() (LAN OR LOCAL()- AREA()NETWORK) OR WPAN OR WPANS OR WLAN OR UWB OR 802()15 OR - IRDA
S2	1268886	SECURITY OR PROTECT? OR SAFEGUARD? OR SHIELD? OR ASSURANCE? OR SAFETY OR SAFENESS
S3	1530017	AUTHENTICAT? OR CERTIF? OR VERIF? OR DETERMIN? OR RECOGNI? OR JUDGE? OR VALIDAT? OR IDENTIF?
S4	1189703	ENCRYPT? OR ENCRYPTION() (KEY OR KEYS) OR ENCODE? OR CIPHER? OR CYPHER? OR (PUBLIC OR PRIVATE)() (KEY OR KEYS) OR ENCYPHER OR CODE? ? OR CODING? OR ENCIPHER? OR SECUR? OR PKI
S5	696	S1 AND S2
S6	240	S5 AND S3 AND S4
S7	110	S1 (5N) S2
S8	44	S7 AND S3 AND S4
S9	32	S8 AND IC=H04L?
S10	151	S6 AND IC=H04L?
S11	119	S10 NOT S9
S12	57	S11 AND IC=H04L-009?

File 347:JAPIO Nov 1976-2004/Jul(Updated 041102)

(c) 2004 JPO & JAPIO

File 350:Derwent WPIX 1963-2004/UD,UM &UP=200472

(c) 2004 Thomson Derwent